



中国合格评定  
国家认可  
实验室  
CNAS L0317



# 宁波出入境检验检疫局检验检疫技术中心

Ningbo Entry-Exit Inspection and Quarantine Bureau Technical Center

231800010357

2018-03-29

第 1 页共 2 页

## 检测报告

申请人: 迪沙菲密亚健康产业有限公司

样品名称: 迪沙菲密亚商务保温杯

样品数量: 1 份

收样日期: 2018-03-26

检测日期: 2018-03-26~2018-03-29

检测要求: 金属牌号鉴定

检测方法: GB/T 11170-2008

检测结果:

检测项目	检测结果	根据 GB/T 20878-2007 中 规定不锈钢 SUS304 要求	单位	判定
碳 (C)	0.04	$\leq 0.08$	%	牌号: 不锈钢 SUS304 (06Cr19Ni10)
硅 (Si)	0.51	$\leq 1.00$	%	
锰 (Mn)	1.09	$\leq 2.00$	%	
磷 (P)	0.042	$\leq 0.045$	%	
硫 (S)	0.006	$\leq 0.030$	%	
铬 (Cr)	18.4	18.00~20.00	%	
镍 (Ni)	8.20	8.00~11.00	%	

\*\*\*\*\*

备注: 1、本检测结果仅对来样负责。

2、客户提供: 品牌: 迪沙菲密亚; 容积: 350mL; 批号: TCA001;

申请方名称: 迪沙菲密亚健康产业有限公司;

申请方地址: 山东省威海市乳山滨海新区银桥街中段;

生产企业名称: 宁波嘉士厨房用品有限公司;

生产企业地址: 宁波市鄞州区望春工业园区布政东路 288 号。

3、样品照片见附件 1。

授权签字人:



0148133

地址: 宁波市高新区清逸路66号A幢 电话: 0574-87022622 投诉: 0574-87022702 传真: 0574-87022902 邮编: 315048 网址: www.nbciqtc.com

### 声明

① 本报告无本单位检验检测专用章无效;

The report is invalid without the unit testing.

③ 本报告涂改、缺页、部分复印无效;

The report will be invalid if altered, deficient or partly duplicated.

② 本报告无授权签字人签名无效;

The report is invalid unless it is signed by authorized signatory.

④ 若非本单位抽样, 本报告仅对来样负责。

The report is responsible for the received samples only, unless they are taken by ourselves.



由 扫描全能王 扫描创建



231800010357  
2018-03-29  
第 2 页共 2 页

附件 1

样品照片



由 扫描全能王 扫描创建